

egplot: Encapsulated gnuplot for L^AT_EX*

Axel Probst[†]

c/o
Federal Institute for Materials Research and Testing
Unter den Eichen 87
D-12205 Berlin
Germany

July 8, 1998

Abstract

The `egplot` package allows to encapsulate `gnuplot` commands in L^AT_EX sources. This is very useful for keeping illustrations in sync with the text. It also frees the user from inventing descriptive names for PostScript files. Additionally the package provides commands that enable the user to let `gnuplot` do calculations and insert the result values into the generated output.

Contents		2.2.2 Figures	3
1 Introduction	2	2.2.3 Calculating	4
2 Usage	2	2.3 Procedure	5
2.1 Options	2	2.4 Examples	5
2.2 Commands and Environments	3	3 Acknowledgements	6
2.2.1 Miscellaneous	3	4 Todo	7

*This is `egplot.sty`, version v1.02a, date 1998/07/08.

[†]e-mail: `Axel.Probst@bam.de`

Copying

egplot is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version.

egplot is distributed in the hope that it will be useful, but *without any warranty*; without even the implied warranty of *merchantability* or *fitness for a particular purpose*. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 675 Mass Ave, Cambridge, MA 02139, USA.

1 Introduction

When adding illustrations to documents, one faces two bookkeeping problems:

1. How to encourage oneself to keep the illustrations in sync with the text, when the document is updated?
2. How to make sure that the illustrations appear on the right spot?

For both problems, the best solution is to encapsulate the figures in the \LaTeX source:

1. It is much easier to remember to update an illustration if one doesn't have to switch files in the editor.
2. One does not have to invent illustrative filenames, if the computer keeps track of them.

This concept of integrating the image generating commands into the \LaTeX source was implemented for METAFONT by Thorsten Ohl¹ in the EMP-package. The `egplot` package now allows the encapsulation of `gnuplot` [5] into \LaTeX [1, 2, 3]. Although `gnuplot` provides several output formats that are suitable for the inclusion into \LaTeX the `egplot` package is only intended for use with the Postscript terminal of `gnuplot` so far.

In addition to the image inclusion commands `egplot` provides the user with commands to let `gnuplot` do calculations and include the results into the document. Unfortunately these features are implemented with the UN*X text utils and so they are only usable if these are installed on the system. If the user does not provide a name for the `gnuplot` file the names for the PostScript and the result values files are built by appending the number of the `gnuplot` file, the figure/calculation number and a three letter extension (`.eps` or `.val`) to `\jobname`. So the user has to choose a `\jobname` that is short enough so that the generated filenames fit into the conventions of certain operating systems.

2 Usage

2.1 Options

Options Besides the options of the `graphicx` package `egplot` recognizes the following

¹e-mail:Thorsten.Ohl@Physik.TU-Darmstadt.de

options:

german: If `german` is specified the calculated values and the tic labels of the diagrams are changed to show a ‘,’ as decimal point character. The default is a ‘.’. This feature is also implemented with UN*X text utils and is only available if they are installed on the system.

gnuplot35: If `gnuplot35` (default) is specified the `gnuplot` commands generated by `egplot` will be compatible with the syntax of the official `gnuplot` version 3.5. Of course the user has to look for the right syntax in his `gnuplot` code himself. Special care has to be taken for the `\egpprelude{...}` and the `\egpfigepilog{...}` commands since these are used to implement the missing `reset` command of `gnuplot-3.5`.

gnuplot36beta: If `gnuplot36beta` is specified the `gnuplot` commands generated by `egplot` will use the features of the beta version `gnuplot 3.6beta`. As mentioned above the user has to look for the right syntax in his `gnuplot` code himself.

2.2 Commands and Environments

2.2.1 Miscellaneous

egpfile All descriptions that should go into one `gnuplot` file are placed inside a `egpfile` environment which takes the name of the `gnuplot` file as an optional argument:

```
\begin{egpfile}[\langle gnuplot-file \rangle]
...
\end{egpfile}
```

The default `gnuplot`-filename is `\jobname.gp`.

egpcmds Write `gnuplot` commands to the current file outside of a figure. The `\egpwrite`
\egpwrite command is intended for short one line commands.

```
\begin{egpcmds}
\langle gnuplot-commands \rangle
\end{egpcmds}
```

\egpprelude Define and add to the set of commands that are prepended to the top of every
\egpaddtoprelude `gnuplot` file. It is intended for the global definition of variables or functions.
The default is empty.

2.2.2 Figures

egp The `egp` as the `egpx` environment contains the description of a single figure that
egpx will be placed at the location of the environment. The `egpdef` environment
egpdef only defines a figure but does not include it into the document. This is useful,
because these environments use the `verbatim` package and can therefore *not*
be used as an argument to other macros. The `\langle name \rangle` that is assigned to the
figure is used for later inclusion with the `\egpuse{\langle name \rangle}` command. For
the `egp` and `egpx` environment the assignment of the `\langle name \rangle` is optional. The
required argument of the `egpx` environment accepts any set of keys accepted by
the `\includegraphics` command of the `graphicx` package.

```

\begin{egp}[<name>]
  <gnuplot-commands>
\end{egp}

\begin{egpx}[<name>]{<key val list>}
  <gnuplot-commands>
\end{egpx}

\begin{egpdef}{<name>}
  <gnuplot-commands>
\end{egpdef}

```

`\egpuse` Reuse a previously defined figure. The optional argument of the `\egpuse` command accepts any set of the keys that is accepted by the `\includegraphics` command of the `graphicx` package.

```
\egpuse[<key val list>]{<name>}
```

`\egpfigprelude` Define and add to a `gnuplot` prelude that is prepended to the output of every `egp`, `egpx` or `egpdef` environment. The default is:

```
set terminal postscript eps monochrome dashed "Helvetica" 17
```

In fact this is the command where the terminal for the `gnuplot-plot` command is set. So the user has to take care that (Encapsulated) PostScript output is generated.

`\egpfigepilog` Define and add to a `gnuplot` epilog that is appended to the output of every `egp`, `egpx` or `egpdef` environment. This command can be used for e.g. `replotting` the figure to the screen or `reseting` to the defaults after every figure. The defaults are as follows:

```
Option:  none, gnuplot35  gnuplot36beta
         load "reset.gp"  reset
```

2.2.3 Calculating

In addition to the commands and environments to generate and include `gnuplot` figures the `egplot`-package provides commands to use `gnuplot` for the calculation of arbitrary arithmetic expressions. Since the `gnuplot-plot` command is used for this feature every expression that is accepted by this command is possible. But this may also lead to unexpected results if the expression contains the variable x which is used as the independent variable of the `gnuplot-plot` command. As stated above (cf. p. 2) the UN*X text utils are used for the implementation and so the calculation commands can only be used on systems where these are installed.

`\egpcalc` Let `gnuplot` calculate the value of a *<gnuplot-expression>*. The result is written to a file. The optional argument assigns a name to be used with `\egpuseval{<name>}`.

```
\egpcalc[<name>]{<gnuplot-expression>}
```

`\egpuseval` Insert a previously defined calculation result.

`\egpshowval` Does the same as the `\egpcalc`-command but additionally the result is placed in the output at the position of the `\egpshowval`-command.

`\egpassign` The first argument is the name of a *<gnuplot-variable>* or *<gnuplot-user function>* which is assigned the second argument which is a *<gnuplot-expression>*. The result is placed in the output as for the `\egpshowval` command.


2.3 Procedure

After L^AT_EX has done its job for the first time you have to invoke gnuplot on the generated file (default: `\jobnameX.gp`, where X is a number). Then another L^AT_EX run is necessary to include the figures and the results into the output.

2.4 Examples

For a simple example, let's draw the function $f(x) = \sin(\sqrt{x^2 + y^2})/\sqrt{x^2 + y^2}$.

```
1  $\langle$ *sample)
2  $\backslash$ begin{egpfile}
3  $\backslash$ begin{center}
4  $\backslash$ begin{egpx}[sombbrero]{width=0.8\linewidth}
5     set hidden3d
6     set nogrid
7     set samples 1000
8     set isosamples 35
9     plot [-10:10] [-10:10] sin(sqrt(x*x+y*y))/sqrt(x*x+y*y)
10  $\backslash$ end{egpx}
11  $\backslash$ end{center}
```



Additionally we define a figure that will not be shown here but at the place of the appropriate `\egpuse` command.

```
12  $\backslash$ begin{egpdef}{kleinbottle}
13     set hidden3d
14     set parametric
15     set nokey
16     set nogrid
17     set noborder
18     set noxtics
19     set noytics
20     set noztics
21     set xrange [-10:10]
22     set yrange [-10:10]
23     set zrange [-3:3]
```




Figure 1: Two examples taken from the gnuplot demo

```

24     set urange [0:2*pi]
25     set vrange [0:2*pi]
26     set isosamples 39,60
27     set view 60,120
28     set title "Klein bottle"
29     plot (2*sin(u)*cos(v/2)-sin(2*u)*sin(v/2)+8)*cos(v), \
30          (2*sin(u)*cos(v/2)-sin(2*u)*sin(v/2)+8)*sin(v), \
31          2*sin(u)*sin(v/2)+sin(2*u)*cos(v/2)
32 \end{egpdef}

```

Since we have given a name to each diagram, we can now use them with

```

33 \begin{figure}
34   \begin{center}
35     \fbox{\egpuse[scale=0.4]{sombbrero}}
36     \fbox{\egpuse[scale=0.4]{kleinbottle}}
37     \caption{Two examples taken from the \GP{} demo}\label{fig:demo}
38   \end{center}
39 \end{figure}

```

and the result is shown in figure 1.

To calculate the value of $f(\pi/4)$ we issue the command

$f(\pi/4) = 0.707107$

```
40 $f(\pi/4)=\egpshowval[sin_quarter_pi]{sin(pi/4)}$
```

and get $\frac{\sqrt{2}}{2} = \boxed{0.707107}$ ²

```
41 and get $\frac{\sqrt{2}}{2}=\fbox{\egpuseval[sin_quarter_pi]}$.
```

```
42 \end{egpfile}
```

```
43 \end{sample}
```

3 Acknowledgements

I would like to thank Thorsten Ohl for submitting the EMP package to CTAN. By using it as a template I managed it to adapt the idea of integrating the image generating commands into L^AT_EX for gnuplot. A lot of code of the EMP package was reused with only marginal changes. This is also caused by the fact that I am far away from understanding all of the code of EMP.

²I couldn't figure out how to remove the trailing space, yet. Any hints ?

4 Todo

In addition to optimising `egplot` it would be nice if the features that are provided through the use of UN*X text utils were implemented in $\text{T}_{\text{E}}\text{X}/\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$. Another interesting feature to implement in following versions of `egplot` is the possibility to use other output formats provided by `gnuplot`, especially the `pslatex` and `pstricks` terminals but also the `png` terminal for inclusion into PDF could be useful.

References

- [1] Michel Goossens, Sebastian Rahtz, and Frank Mittelbach, *The $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ Graphics Companion*, Addison-Wesley, Reading MA, 1997.
- [2] Leslie Lamport, *$\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ — A Documentation Preparation System*, Addison-Wesley, Reading MA, 1985.
- [3] Michel Goossens, Frank Mittelbach, and Alexander Samarin, *The $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ Companion*, Addison-Wesley, Reading MA, 1994.
- [4] Thorsten Ohl, `emp`, available from CTAN (cf. p. 7), in the `macros/latex/contrib/supported/emp` directory.
- [5] Thomas Williams and Colin Kelley, *gnuplot*, available from `ftp.dartmouth.edu` in the `/pub/gnuplot` directory.

Distribution

`egplot` is available by anonymous internet ftp from any of the Comprehensive $\text{T}_{\text{E}}\text{X}$ Archive Network (CTAN) hosts

`ftp.tex.ac.uk`, `ftp.dante.de`

in the directory

`macros/latex/contrib/supported/egplot`

Index

Numbers written in *italic* refer to the page where the corresponding entry is described, the ones underlined to the code line of the definition, the rest to the code lines where the entry is used.

E	
<code>egp</code> (environment) ... <i>3</i>	<code>egpcmds</code> (environment) <i>3</i>
<code>\egpaddtofigepilog</code> . <i>4</i>	<code>egpdef</code> (environment) <i>3</i>
<code>\egpaddtofigprelude</code> <i>4</i>	<code>\egpfigepilog</code> <i>4</i>
<code>\egpaddtoprelude</code> .. <i>3</i>	<code>\egpfigprelude</code> <i>4</i>
<code>\egpassign</code> <i>4</i>	<code>egpfile</code> (environment) <i>3</i>
<code>\egpcalc</code> <i>4</i>	<code>\egpprelude</code> <i>3</i>
	<code>\egpshowval</code> <i>4</i> , 40
	<code>\egpuse</code> <i>4</i> , 35, 36
	<code>\egpuseval</code> <i>4</i> , 41
	<code>\egpwrite</code> <i>3</i>
	<code>egpx</code> (environment) .. <i>3</i>
	environments:
	<code>egpcmds</code> <i>3</i>
	<code>egpdef</code> <i>3</i>

egpfile	3	egpx	3	O
		egp	3	Options
				2

Change History

v1.00				
General:	First released version ..	1		to allow output of syntax of gnuplot-3.5 .
v1.01				Added numbering of gnuplot
General:	Fixed bug with german			files to allow multiple egpfile
	option and negative tic mark			environments w/o explicitly
	values	1		defined names in one docu-
v1.02				ment.
General:	Added options			1
	gnuplot35 and gnuplot36beta			